

Message

---

**Sent:** 12/26/2018 9:11:39 PM  
**To:** Hodgkiss, Miranda [/o=ExchangeLabs/ou=Exchange Administrative Group (FYDIBOHF23SPDLT)/cn=Recipients/cn=9d441ddb44ac4ed486058d2c2690b977-Hodgkiss, Miranda]  
**Subject:** RE: Deschutes TMDLs QAPP  
**Attachments:** Deschutes\_Draft\_QAPP\_12-14-2018 Cope.docx

Happy 2019 Miranda –

Please see attached for comments on the draft Deschutes QAPP. Let's discuss when you're settled back in.

Cheers. -BC

Ben Cope, Environmental Engineer  
Office of Environmental Review and Assessment  
EPA Region 10  
206-553-1442

---

**From:** Hodgkiss, Miranda  
**Sent:** Monday, December 17, 2018 10:18 AM  
**To:** Cope, Ben <Cope.Ben@epa.gov>  
**Subject:** RE: Deschutes TMDLs QAPP

Hi Ben,

Yes, I think it could wait. We were hoping to get started on the modeling work Jan 7, so if you got me comments by the afternoon of Jan 3<sup>rd</sup> or morning of Jan 4<sup>th</sup> at the latest, we could hopefully stay near that date, depending on how many changes need to be made.

Thanks,

Miranda Hodgkiss  
Office of Water and Watersheds  
U.S. EPA Region 10  
(206) 553-0692  
[hodgkiss.miranda@epa.gov](mailto:hodgkiss.miranda@epa.gov)

---

**From:** Cope, Ben  
**Sent:** Monday, December 17, 2018 9:54 AM  
**To:** Hodgkiss, Miranda <[Hodgkiss.Miranda@epa.gov](mailto:Hodgkiss.Miranda@epa.gov)>  
**Subject:** RE: Deschutes TMDLs QAPP

Hey Miranda –

Can it wait til you get back? I think I'm burning another full week on Columbia, but will adjust if you need it this week.

Thanks. -BC

---

**From:** Hodgkiss, Miranda  
**Sent:** Monday, December 17, 2018 9:15 AM  
**To:** Cope, Ben <[Cope.Ben@epa.gov](mailto:Cope.Ben@epa.gov)>  
**Subject:** FW: Deschutes TMDLs QAPP

Hi Ben,

It looks like Michelle also included you on the email, but wanted to check in so we could coordinate our feedback. I'm out after this week until Jan 3, so will aim to get my review done by Thurs. Do you have an estimate of when you think you could get the review done so I can let Michelle know when to expect our comments?

If you'd like to send me your comments I will merge them with mine and send them to Michelle.

Thanks!

Miranda Hodgkiss  
Office of Water and Watersheds  
U.S. EPA Region 10  
(206) 553-0692  
[hodgkiss.miranda@epa.gov](mailto:hodgkiss.miranda@epa.gov)

---

**From:** Schmidt, Michelle <[Michelle.Schmidt@tetrattech.com](mailto:Michelle.Schmidt@tetrattech.com)>  
**Sent:** Friday, December 14, 2018 10:04 AM  
**To:** Hodgkiss, Miranda <[Hodgkiss.Miranda@epa.gov](mailto:Hodgkiss.Miranda@epa.gov)>; Zell, Christopher <[zell.christopher@epa.gov](mailto:zell.christopher@epa.gov)>; Cope, Ben <[Cope.Ben@epa.gov](mailto:Cope.Ben@epa.gov)>; Carlin, Jayne <[Carlin.Jayne@epa.gov](mailto:Carlin.Jayne@epa.gov)>  
**Cc:** Teresa Rafi <[teresa.rafi@tetrattech.com](mailto:teresa.rafi@tetrattech.com)>; Jon Butcher <[jon.butcher@tetrattech.com](mailto:jon.butcher@tetrattech.com)>; Susan Lanberg <[susan.lanberg@tetrattech.com](mailto:susan.lanberg@tetrattech.com)>  
**Subject:** Deschutes TMDLs QAPP

Miranda and team,

We've drafted the QAPP for the Water Quality Modeling for the Deschutes River, Percival Creek, and Budd Inlet Tributaries TMDLs. Let us know if you want to schedule a time to discuss the QAPP and next steps after you've finished your review.

Thanks,

Michelle

**Michelle Schmidt** | Environmental Engineer  
Direct: 919.485.2081 | Main: 919.485.8278 | Fax: 919.485.8280  
[michelle.schmidt@tetrattech.com](mailto:michelle.schmidt@tetrattech.com)

**Tetra Tech** | Complex World, Clear Solutions  
P.O. Box 14409 | 1 Park Drive, Suite 200, Research Triangle Park, NC 27709 | [www.tetrattech.com](http://www.tetrattech.com)

PLEASE NOTE: This message, including any attachments, may include privileged, confidential and/or inside information. Any distribution or use of this communication by anyone other than the intended recipient is strictly prohibited and may be unlawful. If you are not the intended recipient, please notify the sender by replying to this message and then delete it from your system.